## **PATENT**

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No.: HESS-3

In re Application of:	)
RAUL HESS	<b>)</b>
Appl. No.: 10/572,757	
Filed: March 20, 2006	) Confirmation No.: 9549
For: PROCESS FOR MULTI-LAYER MATERIAL REMOVAL OF A THREE-DIMENSIONAL SURFACE BY USING A RASTER IMAGE DESCRIBING THE SURFACE	) ) )

### INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

#### SIR:

In accordance with 37 C.F.R. 1.56, applicant wishes to call the attention of the Examiner to the references listed on enclosed form PTO-1449 which were cited in the instant specification, in the International Search Report issued by the European Patent Office with regard to the corresponding International patent application No. PCT/EP2004/010761 and in a German Office Action issued by the German Patent Office with regard to the corresponding German patent application No. 103 45 087.4, respectively. Applicant does not admit that any of the cited documents constitutes prior art against the pending application.

Copies of these references are submitted herewith along with form PTO-1449. The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

- the attached references have been considered and made of record. [] This Information Disclosure Statement is filed within three months of the filing date of a national application other than a continued prosecution application under 1.53(d), so that no fee under 37 C.F.R. §1.97 is due. [] This Information Disclosure Statement is filed within three months of the date of entry of the national stage as set forth in 1.491 in an international application, so that no fee under 37 C.F.R. §1.97 is due. [X] This Information Disclosure Statement is filed before the mailing of a first Office Action on the merits, so that no fee under 37 C.F.R. §1.97 is due. [] This Information Disclosure Statement is filed before the mailing of a first Office Action after the filing of a request for continued examination under §1.114, so that no fee under 37 C.F.R. §1.97 is due. [ ] This Information Disclosure Statement is filed after the issuance of a first office but before issuance of a final action under §1.113, or a notice of allowance under §1.311. [] This Information Disclosure Statement is submitted after the mailing of a final action or a notice of allowance, but before payment of the issue fee. [] The undersigned submits the following statement requesting consideration of this statement: The undersigned hereby states:
- [] That no item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application, and, to the knowledge of the person signing the statement

the information disclosure statement;

[ ] That each item of information contained in the information disclosure statement

was first cited in any communication from a foreign patent office in a

counterpart foreign application not more than three months prior to the filing of

after making reasonable inquiry, no item of information contained in the information disclosure statement was known to any individual designated in §1.56(c) more than three months prior to the filing of the information disclosure statement.

- [] The fee of \$180.00 set forth in 1.17(p).
- [] The Commissioner is hereby authorized to charge the fee as set forth in 1.17(p), and any additional fees which may be required, or credit any overpayment to Deposit Account No. 06-0502.
- [X] The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 06-0502.

In order to satisfy the requirement under 37 C.F.R. §1.98(a)(3) for a concise explanation of the relevance of each item of information, applicant herewith submits a copy of the International Search Report. In addition, applicant notes with respect to any information that is not in English language as follows:

German Offenlegungsschrift DE 2 111 628 describes engraving of relief printing cylinders using electrically produced and controlled energy beams, by scanning an original to produce electrical signals which are converted to control signals for an electron beam so as to cause this to produce the corresponding pattern as a point screen on the printing cylinder surface.

German Offenlegungsschrift DE 43 26 874 A1 describes the engraving of a pattern into the surface of a work piece by a laser beam which is directed onto the surface and controlled in its intensity in a location-dependent manner in dependence on the pattern, one surface area of a design pattern is first scanned optically or mechanically and the surface information thus obtained is converted into electrical control signals. These signals control the laser beam in a surface area which corresponding to the surface area of the design pattern. Different patterns, also irregular ones as desired can be engraved rapidly and easily by

changing the design pattern. The scanning of the design pattern can be carried out finely and with high resolution, so that the engraving also has a correspondingly high resolution.

German Offenlegungsschrift DE 197 30 887 A1 describes a process for producing and applying complex pictures and objects (eg photographs, video pictures etc) onto food products such as meat. pastry, fish, cheese etc as well as on products produced by the soap industry, comprises using a carbon dioxide laser writing unit. The latter is used according to the scan-raster principle.

German Offenlegungsschrift DE 44 41 337 A1 describes a procedure for applying a pattern onto a high-quality steel plate (23) using a laser source (30), wherein a picture region (24) of the plate is divided into raster elements and to each element a corresponding raster element of an original photographic copy is assigned. The laser source irradiates the plate and generates engraved units inside the elements by removing material to form recesses. The brightness density of a raster element is determined by the arrangement of the engraved units inside the raster element. The bandwidth of the brightness density of the original copy is matched to a bandwidth of the brightness density on the plate using a linear graduation curve.

German Patent No. DE 42 09 933 C2 describes a partial surface modification of metallic or non-metallic bodies carried out using a Q-switched continuous wave Nd:YAG laser having optionally a beam expander in the beam path, a beam deflector with a computer-controlled rotary deflection mirror, and a plane field objective for focussing the laser beam, the laser being moved over the surface along one or more reference lines present by the computer. The laser beam is moved within an outline (U1, U2) delimiting the surface portion (A) to be modified, along reference lines forming the grid lines (R1, R2, R3) of a grid field (N) and then the entire grid field (N) is shifted at least once by a certain amount, while maintaining the relative position of the outline (U1, U2) and the entire surface

portion (A) is re-scanned by the laser beam along the grid lines (R1, R2, R3). During each scan, the operating time and the energy content level of the laser pulses are limited so that material evaporation is effected with minimal plasma formation.

German Offenlegungsschrift DE 100 32 981 A1 describes a process for material processing which comprises guiding a laser beam over a section (13) of a surface (12) of a workpiece to be treated and moving the workpiece to bring a neighboring section (14) of the workpiece into the processing field of the laser. The laser beam is guided in traces (20) over the field. An overlapping region (21) is formed between neighboring sections (13-18) of the workpiece and processing is assigned to the sections so that the traces interact in the overlapping region.

German Offenlegungsschrift DE 39 39 866 A1 describes a laser engraving device using a laser light source (8) and a controlled beam deflector (5, 6) which allows the laser beam to be deflected onto a focussing mirror (3) in dependence on the characters to be engraved. The focussing mirror (3) comprises a rotationally symmetrical annular mirror or mirror section, with a current mirror surface (4) in the plane containing the axes of symmetry (16). While engraving the work piece need not be moved relative to the laser.

German Offenlegungsschrift DE 101 16 672 A1 describes a method for finely detailed areas and/or coarsely detailed areas that are marked out on the workpiece (2). A laser beam from a controlled laser source (4,5) is used to produce finely detailed structures in the appropriate areas and the coarser details are created by a separate material removal unit (8). Equipment for machining workpieces has a controllable laser source (4,5) producing a beam (6) for machining fine details and a controlled coarse material removal unit (8); (2) a printing plate whose layer (3) to be structured comprises a carrier layer, a first material layer with material properties suitable for producing coarsely detailed structures using a laser and/or a mechanical material removal tool and a second

material layer whose properties are more suited to laser machining of fine structures.

The above-identified application discloses and claims an invention patentable over this prior art.

Entry of the references above set forth into the file of the above application is believed to be in order and is respectfully requested.

Respectfully submitted

By:

Ursula B. Day

**Attorney for Applicant** 

Reg. No. 47,296

Date: September 13, 2006

350 Fifth Avenue

Suite 4714

New York, N.Y. 10118


(212) 244-5500

UBD:af

#### Form PTO-1449 U.S. Department of Commerce Patent and Trademark Office **INFORMATION DISCLOSURE CITATION** Attorney's Docket No. **Applicant** Appl. No. HESS-3 **RAUL HESS** 10/572,757 **Filing Date** Group Examiner March 20, 2006 **U.S. PATENT DOCUMENTS** Examiner Filing Date. Document Date Name Class Subclass Initial if appropriate Number 10-09-2001 6,300,595 Williams Sutula, JR. 2002/0114537 08-22-2002 5,378,512 01-03-1995 Van Wyk 6,407,361 06-18-2002 Williams FOREIGN PATENT DOCUMENTS Document Translation Date Country Class Subclass Number DE 101 16 672 A1 10-18-2001 Germany No 09-14-1972 DE 2 111 628 A1 Germany No DE 197 30 887 A1 01-21-1999 Germany No . DE 100 32 981 A1 01-24-2002 Germany no DE 43 26 874 A1 02-16-1995 Germany yes DE 39 39 866 A1 06-06-1991 Germany no DE 42 09 933 C2 09-30-1993 Germany no EP 1 262 316 A 12-04-2002 Europe no DE 100 12 520 A1 09-20-2001 Germany no EP 1 167 075 A2 01-02-2002 Europe yes DE 44 41 337 A1 05-09-1996 Germany OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Brochure of company Jens Scheel - Sondermaschinen, Itzehoe, 1986, Laser-Automat; Engraving automat **Examiner:** Date considered:

<sup>\*</sup>Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

# INTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 B23K26/00 B23K26/08 B44C1/22 B41C1/05 B23K26/36 G05B19/4099 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) B23K B41C B44C G05B IPC 7 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Chation of document, with indication, where appropriate, of the relevant passages 1 - 13US 6 300 595 B1 (M.S.C. WILLIAMS) 9 October 2001 (2001-10-09) cited in the application the whole document 1 - 13EP 1 262 316 A (SCHABLONENTECHNIK KUFSTEIN Y AG) 4 December 2002 (2002-12-04) paragraphs '0046! - '0049!, '0055! '0056!, '0059!, '0063!; figures 3-7 9-13 US 2002/114537 A1 (D.P. SUTULA JR.) Y 22 August 2002 (2002-08-22) '0059! - '0065!; paragraphs '0019!, figures 9-15 1 - 13DE 100 12 520 A1 (HEIDELBERGER A DRUCKMASCHINEN AG) 20 September 2001 (2001-09-20) the whole document Palent family members are listed in annex. Further documents are listed in the continuation of box C. "T" later document published after the international filing date or pitority date and not in conflict with the application but cited to understand the principle or theory underlying the invention Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to knowe an inventive step when the document is taken alone 'E' earlier document but published on or after the international itting date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another diation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the eff "O" document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed \*&" document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 02/02/2005 24 January 2005 Authorized officer Name and making address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 Jeggy, T

)

### **INTERNATIONAL SEARCH REPORT**

Information on patent family members

PCT/EP2004/010761

Patent document dted in search report		Publication date		Patent family member(s)	Publication date
US 6300595	B1	09-10-2001	US	6407361 B1	18-06-2002
			CA	2380076 A1	01-02-2001
,			ΕP	1218139 A1	03-07-2002
			MO	0107199 A1	01-02-2001
			CA	2310298 A1	03-12-2000
			EP	1189724 A1	27-03-2002
			WO	0074891 A1	14-12-2000
EP 1262316	Α	04-12-2002	EP	1262316 A1	04-12-2002
		•	ΑT	<b>282527</b> T	15-12-2004
			CN	1387997 A	01-01-2003
			DE	50104542 D1	23-12-2004
		•	JΡ	3556205 B2	18-08-2004
			JP	2003039626 A	13-02-2003
		•	US	2002189471 A1	19-12-2002
US 2002114537	A1	22-08-2002	NONE		
DE 10012520	A1	20-09-2001	NONE	·	